

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 22-7-2016 Revision date: 22-7-2016 Supersedes: 17-7-2013 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : SPS CS Metallic Tex
Product code : 35098190100
Product group : Wallpaint.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use, Industrial use

Use of the substance/mixture : Industrial and decoration painting.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

S.P.S. B.V. Zilverenberg 16

P.O. Box Postbus 39 5201 AA 's-Hertogenbosch 5234 GM 's-Hertogenbosch - Nederland T +31 (0)73 642 27 10 - F +31 (0)73 642 60 95

info@spsbv.com - www.spsbv.com

Responsible formatting SDS Mantech Nederland B.V.

Kobaltweg 7 P.O. Box 39

5234 GN 's-Hertogenbosch - Nederland T +31 (0)73 70 70 112 - F +31 (0)73 64 43 861 info@mantechbv.nl - www.mantechbv.nl

1.4. Emergency telephone number

Emergency number : SPS BV.: +31 (0)73 642 27 10 [7:30 - 16:30]

NL - Nationaal Vergiftigingen Informatie Centrum (NVIC) Emergency telephone (24 hours): +31 30 274 88 88 (Only for doctors to inform accidental poisoning)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : Not applicable Hazard statements (CLP) : Not applicable

Precautionary statements (CLP) : P102 - Keep out of reach of children

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, eye protection

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

[Spray application; P261 - Avoid breathing spay.]

EUH-statements : EUH208 - Contains 2-methyl-2H-isothiazol-3-one(2682-20-4)(220-239-6), 1,2-benzisothiazol-

 $3 (2H) \hbox{-one, 1,2-benzisothiazolin-3-one} (2634-33-5) (220-120-9). \ May produce an allergic reaction$

EUH210 - Safety data sheet available on request

Security closing plug for children : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Other hazards not contributing to the

classification

: None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

20-7-2017 EN (English) SDS Ref.: SDST9 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
aluminium powder (stabilised) substance with national workplace exposure limit(s) (BE, DE, NL)	(CAS-No.) 7429-90-5 (EC-No.) 231-072-3;231-072-3b (EC Index-No.) 013-002-00-1 (REACH-no) 01-2119529243-45	2,5 - 10	Flam. Sol. 1, H228
2-methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4 (EC-No.) 220-239-6	0,01=< C < 0,1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:vapour), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	0,005=< C < 0,05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Specific concentration limits:

Name	Product identifier	Specific concentration limits
2-methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4 (EC-No.) 220-239-6	(C >= 0,01) EUH208 (C >= 0,1) Skin Sens. 1, H317
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	(C >= 0,05) Skin Sens. 1, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1.			
	Description		
7.1.	Description	i oi ili st alu	measure

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything

by mouth to an unconscious person. If unconscious place in recovery position and seek

First-aid measures after inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped,

administer artificial respiration. Give nothing by mouth.

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised

First-aid measures after skin contact skin cleanser. Do NOT use solvents or thinners.

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes,

First-aid measures after eye contact holding the eyelids apart and seek medical advice.

> If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : No information is on file to date regarding acute and/or delayed post-exposure symptoms and

Indication of any immediate medical attention and special treatment needed

No additional information available.

First-aid measures after ingestion

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture 5.2.

Fire hazard : Fire will produce dense black smoke. Exposure to decomposition products may cause a health

hazard. Appropriate breathing apparatus may be required.

Advice for firefighters

Precautionary measures fire : Cool closed containers exposed to fire with water.

20-7-2017 EN (English) SDS Ref.: SDST9 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Do not smoke. Avoid ignition sources. Ventilate area. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment : Equip rescue crew with proper protection.

Emergency procedures : No smoking. Avoid ignition sources. Ventilate area. Do not breathe vapours.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth,

vermiculite, diatomaceous earth and place in container for disposal according to local

regulations (see section 13).

Other information : Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Due to the organic solvents' content of the preparation: Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.

Precautions for safe handling

: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentrations higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Keep container tightly closed. Avoid skin and eye contact. Avoid the inhalation of dust, particulates and spray mist arising from the application of this preparation. Avoid inhalation of dust from sanding. For personal protection see Section 8. Never use pressure to empty: container is not a pressure vessel. Always keep in containers of same material as the original one. Comply with the health and safety at work laws. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits.

Hygiene measures : Smoking, eating and drinking should be prohibited in application area.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and dry.

Storage conditions : Store in accordance with local/national regulations.

Storage temperature : 5 - 30 °C

Heat and ignition sources : Keep away from heat and direct sunlight.

Information on mixed storage : Store separately from oxidising agents and strongly alkaline and strongly acidic materials.

Storage area : Prevent unauthorised access.

Special rules on packaging : Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SPS CS	Metallic T	ex
--------	------------	----

Netherlands Grenswaarde TGG 8H (mg/m³) There are no data available on the preparation itself.

20-7-2017 EN (English) SDS Ref.: SDST9 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment:

Protective goggles. Gloves. In case of inadequate ventilation wear respiratory protection.

Hand protection:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. For prolonged contact, use rubber or neoprene gloves. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

Eye protection:

Use safety eyewear designed to protect against splash of liquids.

Skin and body protection:

Cotton or cotton/synthetic overalls or coveralls are normally suitable. Every part of the skin which had contact with the product should have been washed thoroughly.

Respiratory protection:

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Different colours. Odour : Characteristic. Odour threshold : No data available рН 7 - 8 @ 20 °C Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available : 0 °C Water Freezing point Boiling point : 100 °C Water Flash point : Not applicable

Auto-ignition temperature : The product does not ignites spontaneously.

Decomposition temperature : When exposed to heat, may decompose liberating hazardous gases

Flammability (solid, gas) : The product is not flammable

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density No data available Density ≈ 1,05 g/cm³ @ 20 °C Solubility : Miscible with water. Log Pow : No data available Log Kow No data available Viscosity, kinematic No data available

Viscosity, dynamic : 3500 - 4500 cP @ 20 °C (Brookfield Sp. 6/50 r.p.m.)

Explosive properties : No dangerous reactions known.

Oxidising properties : No data available. Explosive limits : No data available

20-7-2017 EN (English) SDS Ref.: SDST9 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

Chemical stability 10.2.

Stable under recommended storage and handling conditions (see section 7).

Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products.

Incompatible materials

See Heading 7.

Hazardous decomposition products

Such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

aluminium	powder	(stabilised)	(7429-90-5)
arannan	poao. ,	(0:00,000,	(0 00 0)

LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5 mg/l/4h

: Repeated or prolonged contact with the product may lead to removal of natural fats from the Skin corrosion/irritation

skin resulting in non-allergic contact dermatitis and absorption through the skin

The liquid splashed in the eyes may cause irritation and reversible damage. Serious eye damage/irritation

pH: 7 - 8 @ 20 °C

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity Not classified : Not classified Reproductive toxicity

STOT-single exposure : Not classified STOT-repeated exposure : Not classified : Not classified Aspiration hazard

Potential adverse human health effects and

symptoms

: This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

SECTION 12: Ecological information

Toxicity

ErC50 (algae)

Ecology - general : The mixture has been assessed following the conventional method of the Regulation (EC) No.

1272/2008 [CLP] and is not classified as dangerous for the environment, but contains

substance(s) dangerous for the environment. See Heading 3.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

2-methyl-2H-isothiazol-3-one (2682-20-4)		
LC50 fish 1	6 mg/l [Oncorhynchus mykiss, 96h]	
EC50 Daphnia 1	1,68 mg/l [48h]	
ErC50 (algae)	0,157 mg/l [pseudokirchneriella subcapitata, 72h]	
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)		
LC50 fish 1	1,6 mg/l [Oncorhynchus mykiss, 96h]	
EC50 Daphnia 1	4.8 mg/l	

0,11 mg/l [Selenastrum capricornutum, 72h] 20-7-2017 EN (English) SDS Ref.: SDST9 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.2. Persistence and degradability

SPS CS Metallic Tex	
Persistence and degradability	There are no data available on the preparation itself.

12.3. Bioaccumulative potential

SPS CS Metallic Tex		
Log Pow	No data available	
Log Kow	No data available	
Bioaccumulative potential	There are no data available on the preparation itself.	
2-methyl-2H-isothiazol-3-one (2682-20-4)		
Bioconcentration factor (BCF REACH)	3,16	
Log Kow	-0.32	

1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5)

DOF IISH I	6,95	(OECD 303)
Log Kow	0,7	(OECD 117)

12.4. Mobility in soil

SPS CS Metallic Tex	
Ecology - soil	There are no data available on the preparation itself.

12.5. Results of PBT and vPvB assessment

SPS CS Metallic Tex

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Product may not flow into sewer or superficial water

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Do not allow to enter drains or water courses.

Product/Packaging disposal recommendations

: Dispose of this material and its container to hazardous or special waste collection point.

Additional information

: Uncleaned packaging: Recommendation: Not completely empty packaging must been treated

complying Directive 91/689/EEC.

European List of Waste (LoW) code

: 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES,

SEALANTS AND PRINTING INKS

08 01 12 - waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID			
14.1. UN number	4.1. UN number						
Not applicable Not applicable Not applicable Not applicable Not applicable							
14.2. UN proper shippi	ng name						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard	class(es)						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.4. Packing group							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards							
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No			
No supplementary information available							

14.6. Special precautions for user

Special transport precautions

: Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

20-7-2017 EN (English) SDS Ref.: SDST9 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

- Overland transport

Transport regulations (ADR) : This preparation is not classified as dangerous according to international transport regulations,

(ADR).

- Transport by sea

Transport regulations (IMDG) : Not determined.

- Air transport

Transport regulations (IATA) : Not determined.

- Inland waterway transport

Transport regulations (ADN) : Not determined.

- Rail transport

Transport regulations (RID) : Not determined.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code: Not determined.Ship type: Not determined.Pollution category: Not determined.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

DIRECTIVE 2004/42/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products

EU limit value for SPS CS Metallic Tex (cat. A/b): 100 g/l SPS CS Metallic Tex Contains max 30,00 g/l VOC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
1.1	Product code	Modified	

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Sol. 1	Flammable solids, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation

20-7-2017 EN (English) SDS Ref.: SDST9 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H330	Fatal if inhaled	
H400	Very toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
EUH208	Contains . May produce an allergic reaction	
EUH210	Safety data sheet available on request	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20-7-2017 EN (English) SDS Ref.: SDST9 8/8