

# SPS CS Sprayputz Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 27-7-2016 Revision date: 27-7-2016

Supersedes: 2-9-2011 Version: 1.1

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: SPS CS Sprayputz
Product code	: 60163190101
Product group	: Decorative plaster
r roduci group	
1.2. Relevant identified uses of the sul	ostance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Consumer use, Professional use, Industrial use
Use of the substance/mixture	: Industrial and decoration plaster.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safet	y data sheet
Supplier	Responsible formatting SDS
S.P.S. B.V.	Mantech Nederland B.V.
Zilverenberg 16	Kobaltweg 7
P.O. Box Postbus 39 5201 AA 's-Hertogenbose 5234 GM 's-Hertogenbosch - Nederland	ch P.O. Box 39 5234 GN 's-Hertogenbosch - Nederland
T +31 (0)73 642 27 10 - F +31 (0)73 642 60 95	
info@spsbv.com - www.spsbv.com	info@mantechbv.nl - www.mantechbv.nl
1.4. Emergency telephone number	
Emergency number	: SPS BV.: +31 (0)73 642 27 10 [7:30 - 16:30]
	NL - Nationaal Vergiftigingen Informatie Centrum (NVIC) Emergency telephone (24 hours): +31 30 274 88 88 (Only for doctors to inform accidental poisoning)
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC)	No. 1272/2008 [CLP]
Not classified	
Adverse physicochemical, human health ar	nd environmental effects
Not classified as dangerous according to the c	riteria of Regulation (EC) No 1272/2008.
2.2. Label elements	
Labelling according to Regulation (EC) No.	1272/2008 [CLP]
Signal word (CLP)	: Not applicable
Hazard statements (CLP)	: Not applicable
Precautionary statements (CLP)	: P102 - Keep out of reach of children
	<ul> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves, protective clothing, eye protection</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> <li>[Spray application; P261 - Avoid breathing spay.]</li> </ul>
EUH-statements	: EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one(2634-33-5)(220- 120-9). May produce an allergic reaction EUH210 - Safety data sheet available on request
Security closing plug for children	: Not applicable
Tactile warning	: Not applicable

2.3. Other hazards Other hazards not contributing to the

: None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

classification

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Talc substance with national workplace exposure limit(s) (NL)	(CAS-No.) 14807-96-6 (EC-No.) 238-877-9	1 - 2,5	Not classified
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	0,005=< C < 0,05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
Specific concentration limits:			
Name	Product identifier	Specific con	centration limits
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	(C >= 0,05) Ski	in Sens. 1, H317

## Full text of H-statements: see section 16

SECTION 4: First aid meas 4.1. Description of first aid	
First-aid measures general	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.</li> </ul>
First-aid measures after inhalation	<ul> <li>Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth.</li> </ul>
First-aid measures after skin contac	ct : Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
First-aid measures after eye contac	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.</li> </ul>
First-aid measures after ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important sympto	oms and effects, both acute and delayed
Symptoms/effects	: No information is on file to date regarding acute and/or delayed post-exposure symptoms and effects.
4.3. Indication of any immed	diate medical attention and special treatment needed
No additional information available.	
<b>SECTION 5: Firefighting m</b>	heasures
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.
	$\cdot$ value ( $002$ ), powder, alconorresistant roam, water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.
	: Do not use a heavy water stream.
5.2. Special hazards arising	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture         <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health</li> </ul> </li> </ul>
5.2. Special hazards arising Fire hazard	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture         <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health</li> </ul> </li> </ul>
<ul><li>5.2. Special hazards arising</li><li>Fire hazard</li><li>5.3. Advice for firefighters</li></ul>	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture</li> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.</li> </ul>
<ul> <li>5.2. Special hazards arising</li> <li>Fire hazard</li> <li>5.3. Advice for firefighters</li> <li>Precautionary measures fire</li> </ul>	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.</li> <li>Cool closed containers exposed to fire with water.</li> <li>Do not allow run-off from fire fighting to enter drains or water courses.</li> </ul> </li> </ul>
<ul> <li>5.2. Special hazards arising Fire hazard</li> <li>5.3. Advice for firefighters Precautionary measures fire Other information</li> <li>SECTION 6: Accidental rel</li> </ul>	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.</li> <li>Cool closed containers exposed to fire with water.</li> <li>Do not allow run-off from fire fighting to enter drains or water courses.</li> </ul> </li> </ul>
<ul> <li>5.2. Special hazards arising Fire hazard</li> <li>5.3. Advice for firefighters Precautionary measures fire Other information</li> <li>SECTION 6: Accidental rel</li> </ul>	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture         <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.</li> <li>Cool closed containers exposed to fire with water.</li> <li>Do not allow run-off from fire fighting to enter drains or water courses.</li> </ul> </li> <li>lease measures         <ul> <li>protective equipment and emergency procedures</li> </ul> </li> </ul>
<ul> <li>5.2. Special hazards arising Fire hazard</li> <li>5.3. Advice for firefighters Precautionary measures fire Other information</li> <li>SECTION 6: Accidental rel 6.1. Personal precautions, p</li> </ul>	<ul> <li>Do not use a heavy water stream.</li> <li>from the substance or mixture <ul> <li>Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.</li> <li>Cool closed containers exposed to fire with water.</li> <li>Do not allow run-off from fire fighting to enter drains or water courses.</li> </ul> </li> </ul>

Safety Data Sheet

rding to Pogulation (EC) No. 1007/2006 (PEACH)

6.1.2.	For emergency responders	
Protect	ive equipment	: Equip rescue crew with proper protection.
Emerge	ency procedures	: No smoking. Ventilate area. Do not breathe vapours.
6.2.	Environmental precautions	
Preven	t entry to sewers and public water	s. Notify authorities if product enters sewers or public waters.
6.3.	Methods and material for cor	ntainment and cleaning up
Method	ls for cleaning up	<ul> <li>Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).</li> </ul>
Other in	nformation	: Clean preferably with a detergent - avoid use of solvents.
6.4.	Reference to other sections	
See Se		ndling. See Section 8 for information on personal protection equipment. See Section 13 for disposal

SECT	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precauti	ons for safe handling	:	Keep container tightly closed. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Never use pressure to empty : container is not a pressure vessel. Always keep in containers of same material as the original one. For personal protection see Section 8. Comply with the health and safety at work laws.
Hygiene	measures	:	Smoking, eating and drinking should be prohibited in application area.
7.2.	Conditions for safe storage, includin	g	any incompatibilities
Storage	conditions	:	Store in accordance with local/national regulations.
Storage	temperature	:	5 - 30 °C Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight
Informat	ion on mixed storage	:	Store separately from oxidising agents and strongly alkaline and strongly acidic materials.
Storage	area	:	Prevent unauthorised access.
Special	rules on packaging	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage.
7.3.	Specific end use(s)		

No additional information available

#### SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** SPS CS Sprayputz Grenswaarde TGG 8H (mg/m3) There are no data available on the preparation itself. Netherlands Talc (14807-96-6) Grenswaarde TGG 8H (mg/m3) 0,25 mg/m<sup>3</sup> inhalable and respirable dust Netherlands Netherlands Remark (MAC) Bron: Lijst met wettelijke grenswaarden 2011

#### 8.2. **Exposure controls**

## Appropriate engineering controls:

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

## Personal protective equipment:

Protective goggles. Gloves. In case of inadequate ventilation wear respiratory protection.

## Hand protection:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. For prolonged contact, use rubber or neoprene gloves. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

### Eye protection:

Use safety eyewear designed to protect against splash of liquids.

## Skin and body protection:

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Cotton or cotton/synthetic overalls or coveralls are normally suitable. Every part of the skin which had contact with the product should have been washed thoroughly.

## **Respiratory protection:**

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: Different colours.	
Odour	: Characteristic.	
Odour threshold	: No data available	
pH	: 8-9 @ 20 °C	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: 0 °C Water	
Boiling point	: 100 °C Water	
Flash point	: Not applicable	
Auto-ignition temperature	: The product does not ignites spontaneously.	
Decomposition temperature	: When exposed to heat, may decompose liberating hazardous gases	
Flammability (solid, gas)	: The product is not flammable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: ≈ 1,6 g/cm³ @ 20 °C	
Solubility	: Miscible with water.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: 16 - 17 Pa.s @ 20 °C [LC 3]	
Explosive properties	: No dangerous reactions known.	
Oxidising properties	: No data available.	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: Out of scope of the VOC Directive 2004/42/EC	

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
No dang	erous reactions known.
10.2.	Chemical stability
Stable u	nder recommended storage and handling conditions (see section 7).
10.3.	Possibility of hazardous reactions
Keep aw	ay from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
10.4.	Conditions to avoid
When ex	sposed to high temperatures may produce hazardous decomposition products.
10.5.	Incompatible materials
See Hea	с С
10.6.	Hazardous decomposition products
Such as	carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

# SPS CS Sprayputz Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

1.1. Information on toxicological eff	ects
cute toxicity (oral)	: Not classified
cute toxicity (dermal)	: Not classified
cute toxicity (inhalation)	: Not classified
kin corrosion/irritation	<ul> <li>Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin pH: 8 - 9 @ 20 °C</li> </ul>
erious eye damage/irritation	<ul> <li>The liquid splashed in the eyes may cause irritation and reversible damage.</li> <li>pH: 8 - 9 @ 20 °C</li> </ul>
espiratory or skin sensitisation	: Not classified
erm cell mutagenicity	: Not classified
arcinogenicity	: Not classified
eproductive toxicity	: Not classified
TOT-single exposure	: Not classified
TOT-repeated exposure	: Not classified
spiration hazard	: Not classified
otential adverse human health effects and mptoms	: This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes exposure and eye contact.

Ecology - general	: The mixture has been assessed following the conventional method of the Regulation (EC) No. 1272/2008 [CLP] and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See Heading 3.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothia	azolin-3-one (2634-33-5)
LC50 fish 1	1,6 mg/l [Oncorhynchus mykiss, 96h]

LC50 fish 1	1,6 mg/l [Oncorhynchus mykiss, 96h]
EC50 Daphnia 1	4,8 mg/l
ErC50 (algae)	0,11 mg/l [Selenastrum capricornutum, 72h]

12.2. Persistence and degradability		
SPS CS Sprayputz		
Persistence and degradability	There are no data available on the preparation itself.	
2.3. Bioaccumulative potential		
SPS CS Sprayputz		
Log Pow	No data available	
Bioaccumulative potential	There are no data available on the preparation itself.	
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiaz	olin-3-one (2634-33-5)	
BCF fish 1	6,95 (OECD 305)	
Log Kow	0,7 (OECD 117)	
12.4. Mobility in soil		
SPS CS Sprayputz		
Ecology - soil	There are no data available on the preparation itself.	
12.5. Results of PBT and vPvB assessment		
SPS CS Sprayputz		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects		
	Product may not flow into sewer or superficial water	

: Product may not flow into sewer or superficial water

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Do not allow to enter drains or water courses.	
Product/Packaging disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.	
Additional information	: Uncleaned packaging: Recommendation: Not completely empty packaging must been treated complying Directive 91/689/EEC.	
European List of Waste (LoW) code	<ul> <li>08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</li> <li>08 01 12 - waste paint and varnish other than those mentioned in 08 01 11</li> </ul>	

## SECTION 14: Transport information

## In accordance with ADR / RID / IMDG / IATA / ADN

In accordance with ADR / RID / IMDG / IATA / ADN					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

## 14.6. Special precautions for user

Special transport precautions

: Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

### Not applicable

14.7.	Transport in bulk according to Annex II of Marpol and the IBC Code			
IBC code	: Not determined.			
Ship type	: Not determined.			
Pollution	category : Not determined.			
SECTION 45. Descriptory information				

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no REACH Annex ATV substant

## VOC content

: Out of scope of the VOC Directive 2004/42/EC

## 15.1.2. National regulations

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of chan	ges:		
Section	Changed item	Change	Comments
1.1	Product code	Modified	

## Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H400	Very toxic to aquatic life	
EUH208	Contains . May produce an allergic reaction	
EUH210	Safety data sheet available on request	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product